

KARCHER

HDS 18/24 De SS Cage

Hot water high-pressure cleaner

TECHNICAL DATA AND EQUIPMENT



HDS 18/24 De SS Cage

Technical data		
Order No.		1.110-599.0
EAN code		886622002147
Pressure	bar / MPa	241 /
Pressure	PSI	3500
Flow rate	l/h	1067
Weight	kg	453
Dimensions (L x W x H)	mm	1219 × 813 × 1118
Equipment		
Anti-twist system		-
Electric starter		-
Servo Control		-



















		1					
		Order No.	ID	Max. working pressure	Length	Price	Description
		Order No.	שוו	pressure	Lengui	PIICE	Description
Standard with unions on both sides							,
High-pressure hose packaged	1	6.391-342.0	ID 8	315 bar	10 m		A
Longlife 400 with unions on both s	ides						
High-pressure hose packaged	2	6.391-354.0	ID 8	400 bar	10 m		A
High-pressure hose Longlife 400,	3	6.389-709.0	ID 8	400 bar	15 m		With rotary coupling, 2 x M 22 x 1.5
15 m, ID 8, including rotary cou-							A
pling							
High-pressure hose 1.5 m, ID 8,	4	6.390-178.0	ID 8	400 bar	1,5 m		1.5 m high-pressure hose (DN 8, M 22 x 1.5) with kink pro-
including connectors							tection and connectors at both ends. For connecting to hose
							reels with appropriate connector (M 22 x 1.5).
Longlife food industry version with			1	1	l I	ı	l
High pressure hose food ID 8 / 10	5	6.391-864.0	ID 8	400 bar	10 m		Longlife HP hose for use in the food industry. Außen-
M		6 204 007 0	10.0	400 h	20		decke## animal-grease-resistant, non-colour-bleeding mate- rial. With rotary coupling, 2 x M 22 x 1,5
High-pressure hose food industry 400 bar, 20 m, ID 8, including	6	6.391-887.0	ID 8	400 bar	20 m		
rotary coupling							
Longlife 400			1	1			
High-pressure hose packaged	7	6.391-351.0	ID 8	400 bar	10 m		
Special hoses	,	0.001 001.0	1.5 5	1.00.001	120	l	1
High-pressure hose 1.5 m, ID 8,	8	6.388-886.0	ID 8	400 bar	1,5 m		
including connectors, outlet bend	0	0.300 000.0	10.0	400 bdi	1,5 111		
meroaming commeetors, butter bend		I					

[☐] Available accessories. ▲ Extension hose.









		Order No.	Flow rate			Price	Description	
Trigger guns			'	<u> </u>	'			
High end high-pressure trigger gun	1	4.775-823.0						
Quick connect								
Quick coupling	2	6.401-458.0					For quick change of different spray lances and accessories. Optimum adaption to Kärcher accessories, especially for connection between trigger gun and spray lance. With M22 x 1,5 female.	
Plug nipple	3	6.401-459.0					Hardened stainless steel nipple for quick coupling 6.401- 458. With M22 x 1,5 male.	

[☐] Available accessories. ▲ Extension hose.





		Order No.	Nozzle size		Price	Description
Power nozzle spray angle 25°					I	
	1	2.884-521.0	250			





		Order No.			Price	Description	
Rotary coupling							
Rotary coupling	1	4.401-091.0				Kärcher rotary coupling prevents twisting and kinking of high-pressure hoses for ease of use. Connector M 22 x 1.5 m. With grip protection.	

 $[\]hfill \square$ Available accessories. $\hfill \blacktriangle$ Extension hose.







		Order No.	Length		Price	Description	
Automatic, self-winding hose reels	;						
Add-on kit hose reel plastics	1	6.392-975.0	20 m			Automatic hose reel for 20 m high-pressure hose. The console is made from powder-coated steel, the drum is made from plastic.	
Add-on kit hose reel	2	6.392-965.0	20 m			Automatic hose reel for 20 m high-pressure hose. The console consists of stainless steel, the drum is made from plastic.	

[☐] Available accessories. ▲ Extension hose.







		Order No.	Max. working pressure	Length		Price	Description
Spray lance							
Lance 250 mm, non-rotatable	1	4.760-667.0		250 mm			250 mm stainless steel lance. With manual coupling. Non-rotatable. $\hfill\Box$
Double lance							
Double lance 960 mm	2	6.394-665.0	310 bar	960 mm			960 mm double lance for variable pressure adjustment on handle at full water flow rate. Suitable for agricultural use (e.g. stable cleaning).

[☐] Available accessories. ▲ Extension hose.



SWEEPEX AUSTRALIA

2/5 Clay Place EASTERN CREEK NSW 2766 sweepex.com.au | sales@sweepex.com.au 1800 680 337

