

1800 680 337



KÄRCHER

HDS 37/22 DE Cage

Hot water high-pressure cleaner

TECHNICAL DATA AND EQUIPMENT





HDS 37/22 DE Cage

Technical data		
Order No.		1.110-602.0
EAN code		886622002178
Pressure	bar / MPa	221 /
Pressure	PSI	3200
Flow rate	I/h	2044
Weight	kg	980
Dimensions (L x W x H)	mm	1651 × 914 × 1473
Equipment		
Anti-twist system		-
Electric starter		-
Servo Control		-



















		Order No.	ID	Max. working pressure	Length	Price	Description
Standard with unions on both sides	;						
High-pressure hose packaged	1	6.391-342.0	ID 8	315 bar	10 m		
Longlife 400 with unions on both si	ides						
High-pressure hose packaged	2	6.391-354.0	ID 8	400 bar	10 m		
High-pressure hose Longlife 400, 15 m, ID 8, including rotary cou- pling	3	6.389-709.0	ID 8	400 bar	15 m		With rotary coupling, 2 x M 22 x 1.5
High-pressure hose 1.5 m, ID 8, including connectors	4	6.390-178.0	ID 8	400 bar	1,5 m		1.5 m high-pressure hose (DN 8, M 22 x 1.5) with kink protection and connectors at both ends. For connecting to hose reels with appropriate connector (M 22 x 1.5).
Longlife food industry version with	union	s on both sides					
High pressure hose food ID 8 / 10 m	5	6.391-864.0	ID 8	400 bar	10 m		Longlife HP hose for use in the food industry. Außendecke## animal-grease-resistant, non-colour-bleeding mate-
High-pressure hose food industry 400 bar, 20 m, ID 8, including rotary coupling	6	6.391-887.0	ID 8	400 bar	20 m		rial. With rotary coupling, 2 x M 22 x 1,5
Longlife 400			•				
High-pressure hose packaged	7	6.391-351.0	ID 8	400 bar	10 m		
Special hoses			•				
High-pressure hose 1.5 m, ID 8, including connectors, outlet bend	8	6.388-886.0	ID 8	400 bar	1,5 m		[

[☐] Available accessories. ▲ Extension hose.









		Order No.	Flow rate		Price	Description	
Trigger guns							
High end high-pressure trigger gun	1	4.775-823.0					
Quick connect							
Quick coupling	2	6.401-458.0				For quick change of different spray lances and accessories. Optimum adaption to Kärcher accessories, especially for connection between trigger gun and spray lance. With M22 x 1,5 female.	
Plug nipple	3	6.401-459.0				Hardened stainless steel nipple for quick coupling 6.401- 458. With M22 x 1,5 male.	

[☐] Available accessories. ▲ Extension hose.





		Order No.	Nozzle size		Price	Description
Power nozzle spray angle 25°						
	1	2.884-521.0	250			

[☐] Available accessories. ▲ Extension hose.





		Order No.			Price	Description	
Rotary coupling							
Rotary coupling	1	4.401-091.0				Kärcher rotary coupling prevents twisting and kinking of high-pressure hoses for ease of use. Connector M 22 x 1.5 m. With grip protection.	

 $[\]hfill \square$ Available accessories. $lack \triangle$ Extension hose.







		Order No.	Length		Price	Description	
Automatic, self-winding hose reels	;						
Add-on kit hose reel plastics	1	6.392-975.0	20 m			Automatic hose reel for 20 m high-pressure hose. The console is made from powder-coated steel, the drum is made from plastic.	
Add-on kit hose reel	2	6.392-965.0	20 m			Automatic hose reel for 20 m high-pressure hose. The console consists of stainless steel, the drum is made from plastic.	

[☐] Available accessories. ▲ Extension hose.







		Order No.	Max. working pressure	Length		Price	Description
Spray lance							
Lance 250 mm, non-rotatable	1	4.760-667.0		250 mm			250 mm stainless steel lance. With manual coupling. Non-ro-tatable.
Double lance							
Double lance 960 mm	2	6.394-665.0	310 bar	960 mm			960 mm double lance for variable pressure adjustment on handle at full water flow rate. Suitable for agricultural use (e.g. stable cleaning).

[☐] Available accessories. ▲ Extension hose.



SWEEPEX AUSTRALIA

2/5 Clay Place EASTERN CREEK NSW 2766 sweepex.com.au | sales@sweepex.com.au 1800 680 337

